

Fountain Pajot Orana 44

Spirit of Africa " is a fully blue water – cruising equipped example of the Orana 44 sailing catamaran.

Her original owner's are veteran offshore and round the-world cruiser whose expertise in equipping and maintaining a true blue water yacht is apparent to all who see her.

Specification

2008	_	Flag	South African
GRP	_	Location	Turkey
Joubert / Nivelt	_	Keel	
Dimensions			
13.10 m		Length	12.68 m
7.35 m		Draft	1.24 m
Engine			
2		Engine	Yanmar
40 HP		Model	3JH4-CE
Sail Drive		Engine Hour	4700 / 5100 hrs
	GRP Joubert / Nivelt D 13.10 m 7.35 m	GRP Joubert / Nivelt Dimensio 13.10 m 7.35 m Engine 2 40 HP	GRP Location Joubert / Nivelt Keel Dimensions 13.10 m Length 7.35 m Draft Engine 2 Engine 40 HP Model

Fountaine Pajot Orana 44 | 2008



Engine

2 x 40 Hp Yanmar 3JH4-CE diesel engine Sail drive with 3 blade fixed propeller Port engine 4700 hrs Starboard 5100 hrs as at April 2024

Electrical

Aquabase YK water maker 180 Lph in one hour with auto flush 4 x 210W Kyocera KD210GX-LP Sonar panels
Outback FLEXmax 80 MPPT Charger controller
Cummins Onan MDKBM 7 kW generator 1207 hrs
Generator 1207 hours as at April 2024
150 Amp auxiliary alternator with charging regulator
Cockpit & foredeck light Incandescent
Mastervolt Mass Sine 12/800 W Inverter
Xantrex LinkLITE Battery Monitor
3 x 100 Ah Service Batteries
2 x 100 Ah Starter Batteries
Navigation lighting LED
Interior lighting LED

Navigation

Helm Station

Marine Radar / Chartplotter, Furuno Navnet VX2 1834C / GD 1920

Integrated Heading Sensor, Furuno FAP-5001-E

Digital Instrument, Furuno FI-503-E

Multi Instrument, Furuno FI-504-E

Wind Transducer Furuno FI-5001

Wind Angle, Furuno FI-501-30-E

A...t--::|-t F......- FAD FOO1 F

Autopilot, Furuno FAP-5001-E

Junction Box, Furuno FI 500

Chart Table

Marine Radar / Chartplotter – Furuno NaVnet

VX21834C/GD1920C

Transducer Analog – Airmar DST-800PSF Depth, Speed,

Temperature

NMEA Data Converter – Furuno IF-NMEA2K2

TV monitor – Toshiba 24L3650VT 24" monitor

Radio / CD System - Pioneer DEH-X1750UB

Monitor – Fuel and Water Level Monitors

Battery monitor – Xantrex LinkLITE

AIS Transponder – Furuno FA-50

GPS Navigator - Furuno GP-32

Network Sounder - Furuno DFF1

Remote Display – Furuno RD-33

Facsimile Receiver - FAX-30

Printer – HP Deskjet F2180









Fountaine Pajot Orana 44 | 2008



Navigation

Helm Station

Marine Radar / Chartplotter, Furuno Navnet VX2 1834C / GD 1920

Integrated Heading Sensor, Furuno FAP-5001-E

Digital Instrument, Furuno FI-503-E

Multi Instrument, Furuno FI-504-E

Wind Transducer Furuno FI-5001

Wind Angle, Furuno FI-501-30-E

Autopilot, Furuno FAP-5001-E

Junction Box, Furuno FI 500

Chart Table

Marine Radar / Chartplotter – Furuno NaVnet VX21834C/GD1920C

Transducer Analog – Airmar DST-800PSF Depth, Speed, Temperature

NMEA Data Converter – Furuno IF-NMEA2K2

TV monitor – Toshiba 24L3650VT 24" monitor

Radio / CD System - Pioneer DEH-X1750UB

Monitor – Fuel and Water Level Monitors

Battery monitor - Xantrex LinkLITE

AIS Transponder – Furuno FA-50

GPS Navigator – Furuno GP-32

Network Sounder - Furuno DFF1

Remote Display - Furuno RD-33

Facsimile Receiver - FAX-30

Printer – HP Deskjet F2180

Communication

VHF – marine radio handheld – ICOM IC-M35 with battery pack

VHF - marine radio fixed - Raymarine RAY54

VHF - marine radio fixed - ICOM IC-M801E

EPIRB – MCMURDO 406MHz Beacon Smartfind G5

Pactor Modem - SCS PTC-Ilpro

Satellite phone - Iridium 9555

Accommodation

The master suite has an island style bed and two reading light. The bathroom has a separate shower. Forward is a well-organized workshop and storage area.

The guest cabins have semi island style beds meaning one side has easy access.

Each heads has its separate shower.

Cabins have ample cupboard and shelf space.









Fountaine Pajot Orana 44 | 2008



Galley

The galley is designed to be safe and usable offshore while still perfect in port.

Top loading Isotherm Fridge 130 L / 30 gal Frond loading Isotherm Freezer 90 L / 20 gal Eno 3-burner gas stove and oven Magma gas grill on stern rail with gas bottle installed Stainless steel pot securing rail around hob Oversize single bowl Corian sink with pressurized fresh and salt water faucets



Lofrans Cayman 1000 W electrical windlass 2 x Quick Multipurpose windlass remote controller 25 kg / 55lb primary anchor with 90m x 8mm chain 20 kg / 44lb Lewmar anchor CQR 10m x 8m, 100m rope 10 kg / 22lb Fortress anchor FX-37 aluminium 10m x 8mm chain

1.5 kg / 3.5lb Danforth anchor 1.5k 3m x 6mm chain Washdown point at anchor locker

Dinghy & Ouboards

Dinghy – Highfield Ultrarote 340 maximum 5+1 persons Paddles – 2 x dinghy paddles Outboard – 15 hp Suzuki DF15 / 4-stroke

Outboard – 6 hp Suzuki DF6A / 4 stroke

Safety

Jackstays – Port & Starboard hulls offshore webbing jackstay system

Lifejackets 5 inflate-able plus 3 buoyancy offshore marine PFD's Liferaft – Zodiac Open Sea 10 ISO 9650 1 B-10 person Dive Gear

Compressor Breathing Bauer Poseidon Edition PE 100 220V 50Hz electric

Cylinders Steel 2 x Faber Steel 12.2 L / 100ft3 232 bar starboard

Weights - Variety 250G, 500G, 1KG

Tank

Fresh Water Tank – 2 x 265 L / 58 gal polyyethylene tanks, total 530 L / 116 gal Black water Heads x 3 each 40 L / 9 gal polyform Water Heater Tank 40 L / 9 gal capacity Holding Tanks 3 x 40 L / gal Fuel Tank 400 L / 90 gal







